



[BRIGGS & STRATTON]

Powerful performance in a compact design. The engine adopts the big brand Briggs & Stratton twin-cylinder engine.At the same time, low fuel consumption, low vibration, low noise, and consideration for the environment have been achieved at a high level.



DIESEL ENGINE — 3864

 $\frac{1}{kw/3200rpm}$


[SPEED MODE ADJUSTMENT] (standard configuration)

When working, just push the pull rod, the engine speed will automatically adjust the speed, and adjust the speed gear according to the working mode to make the work more humanized



[FLIP FRONT COVER]

Convenient inspection and maintenance, hollow-out design, excellent heat dissipation effect



[FOOT PEDAL]


Air support, more labor-saving folding, with non-slip stickers to improve the safety of the driver's operation



EXCELLENT PERFORMANCE, FULLY MEET THE NEEDS OF VARIOUS USERS.




MORE ACCESSORIES



[REPLACE ASSISTIVE DEVICEMODE] (standard configuration)

When replacing auxiliary equipment such as hydraulic quick changers, breakers, and wood grabbers, you can easily replace them by pressingthe button, which is convenient and quick.









Trencher



Snow Blade



Grapple



Hydraulic breaker



Rotary drill



Angle Broom



Standard Bucket



Digger



Auger



Pallet Fork



Rock Bucket



4in 1 Bucket



Pile Driver



Fork Clamp




Ditch Compactor

NDI635 SKID STEER LOADER



SHOW MORE DETAILS






The auxiliary device operating lever has a self-locking function, which is more convenient to operate and saves time and effort.



The oil pipe adopts a built-in pipe arrangement, which can effectively protect the oil pipe, reduce wear and tear and prolong the service life of the oil pipe.



Lifting rings are provided on the front and rear of the machine for easy lifting of the machine.




The inversion of the cylinder can effectively protect the cylinder rod from damage and prolong the service life of the cylinder.






DETAILED PARAMETER CONFIGURATION







■ Schematic diagram of work area



Engine			
Engine model	Breton Twin Cylinder 3864	Number of cylinders	double cylinder
Rated speed (r/min)	3200	Cooling method	air cooling
Rated power (kw)	17	Engine oil replacement amount (L)	1.7
Displacement (CC)	627	Fuel form	gasoline

Specification

	Vehicle mass (kg)	800	
	Dimensions (mm) (L*W*H)	2230*1160*1300	
	Bucket width (mm)	1150	
	Wheelbase (mm)	640	
Body data	Wheel base (mm)	900	
	Ground clearance (mm)	100	
	Gradeability(%)	25	
	Maximum loading height (mm)	2080	
	Maximum unloading height (mm)	1950	
	Maximum height (mm)	2400	
	Minimum height (mm)	1270	
	Rated pressure (MPa)	18MPa	
	Hydraulic pump displacement (ml/r)	0505	
Hydraulic system	Hydraulic pump flow (L/min)	16	
	Travel motor displacement (ml)	375	
	Triple multi-way valve	take off	
	Two-way multi-way valve	take off	
	Engine model	Breton Twin Cylinder 3864	
	Rated speed (r/min)	3200	
	Rated power (kw)	17	
Engine	Displacement (CC)	627	
	Number of cylinders	double cylinder	
	Cooling method	air cooling	
	Engine oil replacement amount (L)	1.7	
	Fuel form	gasoline	
	Bucket capacity (m3)	0.15	
Bucket —	Bucket loading mass (kg)	300	
Tire	Tire specifications	18*8.50-8	
	<u> </u>		
Tank	Hydraulic tank capacity (L)	25.8	

- Please read the instruction manual carefully and use it correctly.
- Be sure to fasten your seat belt during operation. ※Except for soft top specification
- When driving construction machinery with a body weight of less than 3t, please receive "special education on driving construction machinery for vehicles" in advance, and be sure to participate in "skills training for driving construction machinery for vehicles" if it is more than 3t.
- NDI635 According to the conditions of the Occupational Safety and Health Act, the body mass may reach 800kg
- In order to prevent breakdowns and accidents, be sure to check the machine regularly.

WE ARE RIPPA

Shandong Rippa Machinery Group Co., Ltd. is located in the Sixth Industrial Park, Jining high tech Zone, Shandong Province. It is a state-level high-tech enterprise with the right to import and export;

The company's staff are vigorous and enterprising, and constantly create the legend and glory of the school!







Shandong Rippa Machinery Group Co., Ltd.

Add: No.6 Industrial Park, Chongwen Avenue 2166, Gaoxin District, Jining City, Shandong Province

https://www.rippaexcavator.com